



Model: 4U-465M2

Art.: 88887424

The 4U server case 4U-465M2 has been specially developed for high-performance and flexible server solutions and is ideal for professional IT environments, virtualisation systems or storage applications. Thanks to its well-thought-out design, it enables multiple systems to be operated in parallel within a single case.

A key feature is the support for installing two Mini-ITX motherboards, making the case ideal for redundant systems, cluster solutions or energy-efficient dual-server setups. Each motherboard has its own front-panel connection, each featuring two USB 3.2 Gen1 ports, enabling convenient operation and fast data transfer.

Two ATX power supplies can be integrated to provide power, enabling both systems to operate independently and reliably – ideal for ensuring redundancy and load balancing.

Features	Installation of two separate systems with ITX motherboards	
Size	Mainboard	Mini-ITX
	Case	480 x 692 x 178mm (BxTxH)
	Cage	430 x 662 x 178mm (BxTxH)
HDD/ ODD Mounting space	5.25" external	-
	3.5" external	-
	3.5" or 2.5" external	-
	3.5" internal	2x 3
	2.5" internal	-
	3.5" or 2.5" internal	-
Front connectors	USB A 3.0	2x 2x 3.2 Gen1
	USB A 2.0	-
	USB Type C	-
	Heaphone	-
	Microphone	-
	Card Reader	-
Mounted fans	200mm	-
	140mm	-
	120mm	3
	80mm	-
	60mm	-
	40mm	2x 2
Further mounting options	Power supply	2x ATX
	CPU cooler	max. 145 mm
	Graphic adapter	-
	Fans	-

Scope of delivery	Case Screws
-------------------	----------------

Warranty	24 Months
----------	-----------

Logistic data	Net weight	14.41 kgs
	Gross weight	16.86 kgs
	Article number	88887424
	GTIN	4260455649964
	Packing unit	1 pcs 12 pcs (pallet)